



The SUMO ST390 features the integration of a brilliant 8.9" touch display and a high performance as well as energy-efficient Intel® Atom™ processor within a slim, light, and durable package. Ideal for network and information access, the SUMO ST390 offers a choice of operating systems, optional Wi-Fi, 3G and GPS support, high-capacity internal battery, and Citrix ICA and Microsoft® RDP client/server computing protocols.

With options for a magnetic stripe reader and barcode scanner combo module, 2 mega-pixel camera, and RFID reader, the tablet offers seamless information capture for improved workflow. IP64 rated for water and dust resistance, with on-screen keyboards and optional outdoor-viewable display, the SUMO ST390 performs indoors, outdoors, and in harsh environments.

Features

- ▶ Intel® Atom™ Z530, 1.6GHz
- ▶ IP64 rated for water and dust resistance
- ▶ Microsoft® Windows® XP Embedded; Windows® XP Professional or Linux
- ▶ Extended use options with hot-swappable battery expansion
- ▶ Desktop cradle option with USB, Ethernet, charging facility and VGA connector
- ▶ Stylus free touch operation capable
- ▶ Software control panel for easy access to enable Wireless LAN and Bluetooth

Applications

The SUMO ST390 is suited to many industry deployments including:

- ▶ Transportation and Warehousing
- ▶ Healthcare
- ▶ Utilities
- ▶ Education
- ▶ Manufacturing
- ▶ Finance
- ▶ Retail
- ▶ Server-based Computing
- ▶ Web-based Computing
- ▶ Laptop Replacement

Major Options

- ▶ UMTS / 3G and GPS
- ▶ WiFi 802.11 a/g/n
- ▶ Magnetic stripe card reader and 2D barcode scanner combination
- ▶ 2 mega-pixel camera
- ▶ RFID reader
- ▶ Outdoor viewable display option
- ▶ 3 Year Extended Warranty (Batteries 3 months only)

Key Accessories

- ▶ Hand strap
- ▶ Desktop cradle (with LAN, USB and VGA)
- ▶ External battery
- ▶ External battery charging kit
- ▶ Automobile power adapter
- ▶ Carrying case with compact USB keyboard

Front View



Top View



Bottom View



Left View



Right View



Specification

▶ Operating Systems

Microsoft® Windows® XP Embedded
 Microsoft® Windows® XP Professional
 Microsoft® Windows® Embedded Standard 7
 Microsoft® Windows® 7 Professional
 Linux

▶ Processor

Intel® Atom™ Z530, 1.6GHz

▶ Memory (RAM)

2GB DDR2 533MHz

▶ Storage

2GB to 8GB Internal Flash Module
 32GB to 64GB SSD

▶ Environmental

Water and Dust Resistance to IP64 rating

▶ Display

8.9" TFT LCD with Resistive Touch (Outdoor Viewable Option)
 1024 x 600 (WSVGA) Resolution

▶ Controls and Connectivity

7 × Front Buttons
 1 × Trigger Button
 Power On Button
 19V DC-in Jack
 Microphone-In Jack
 Audio-Out Jack
 1 × Mini USB 2.0
 Bluetooth 2.1 with EDR Class 2 (eGM-A1R) (USB Interface)
 802.11 a/g/n for Wireless Networks (Optional)
 UMTS / 3G and GPS (Optional)
 2 Mega-Pixel camera (Optional)

▶ RFID Reader (Optional)

High Frequency 13.56MHz
 ISO standard 15693
 1443A(B)
 18092 compliant

▶ MSR (Optional)

Triple track readers (ISO TK1, 2 & 3)
 OPOS and JPOS compliant
 High Performance Decoding
 Ultra-compact design with low profile read head
 Two-frequency coherent phase (F2F)

▶ Barcode Scanner (Optional)

2D barcode scanner
 Intermec omni-directional scanner
 Also reads 1D

▶ Physical Dimensions

H × W × D
 196 × 256 × 32 (mm)
 7.7 × 10 × 1.25 (inches)

▶ Weight

1.1 Kg (2.43 lb)

▶ Power

Adapter: AC/DC
 Input: 100-240V AC
 Output: 19V DC, 2.36A
 Power Cords: UK, EU, North America, China

▶ Battery Packs

Lithium-Ion
 Internal (2S2P; 7.4V, 3760mAh) (included)
 External (2S2P; 7.4V, 3760mAh) (optional)

▶ Desktop Cradle (Optional)

Ethernet 10/100 Base-T LAN
 2 × USB 2.0
 Pass-through for power

▶ Operating Environment

Temperature: 0° – 40°C
 Humidity: 0% - 90% non-condensing

▶ Enclosure

ABS + PC Plastic

▶ Regulatory Compliance

FCC Class B, CE, C-Tick, RoHS compliant



All specifications are subject to change without notice.

SUMO, Masters of Technology and ST390 are trademarks of SUMO Technologies Ltd. Microsoft Windows XP, Microsoft Windows XP Tablet PC Edition and Microsoft Windows XP Embedded are registered trademarks of Microsoft Corporation. All other products and services are trademarks or service marks of their respective companies, and are acknowledged. **E&OE**

SUMO
 Masters of Technology

For more information, including pricing, availability and detailed features please look at our web site at www.sumotech.com or email sales@sumotech.com

SUMO Technologies Ltd, Manor Chambers, Marygate, YORK YO30 7BH
 Tel: +44 (0) 1904 670670 Fax: +44 (0) 1904 670570