





<b>Model</b>	<b>^T340T</b>
<b>System</b>	
<b>CPU</b>	Intel® Core™ i5-8250U, Quad-Core, 1.6GHz (up to 3.4GHz) Intel® Core™ i7-8650U, Quad-Core, 1.9GHz (up to 4.2GHz)
<b>RAM</b>	8GB
<b>Storage</b>	256GB to 2TB Flash
<b>Operating System</b>	Microsoft® Windows® 10 IoT Enterprise, 64bit
<b>NIST Compliance</b>	NIST compliant BIOS available
<b>Display</b>	14" LED-backlight, high-brightness (1,000 nits) screen with capacitive multi-touch, outdoor viewable
<b>Display Resolution</b>	1920 x 1080
<b>Control Switch and Buttons</b>	1 power button, 2 programmable buttons
<b>Indicator</b>	1 power/ battery status LED
<b>Microphone</b>	Built-in microphone with DSP for real-time video
<b>Speaker</b>	Built-in speaker

<b>Network Interface</b>	
<b>WLAN</b>	Wi-Fi 802.11ac, 2.4GHz/ 5GHz dual band
<b>Bluetooth</b>	Bluetooth 4.2 LE

<b>I/O Ports</b>	
<b>HDMI</b>	1
<b>USB Ports</b>	USB 3.0 x 1 and USB 2.0 x 2
<b>Headset Jack</b>	1 (3.5mm)
<b>DC-in</b>	1
<b>Ethernet</b>	1 RJ45 connector for Ethernet
<b>Smart Card/CAC Reader</b>	Full-slot, reads ISO 7816 T=0, T=1; 1.8/3/5V smart card

<b>Mechanical and Environmental</b>	
<b>AC/DC Adapter</b>	Input: 100-240V AC; Output: 19V DC, 6.31A
<b>Battery Pack</b>	Hot swappable battery, 11.4V, 5400mAh x 2 Hot swappable battery, 11.4V, 8000mAh x 2 (optional)
<b>Enclosure</b>	ABS + PC plastics and magnesium-aluminum alloy
<b>Dimensions (H x W x D)</b>	9.6 x 13.8 x 1.16 in/ 244mm x 244mm x 29.5mm
<b>Weight</b>	6.38lbs/ 2.9kg
<b>Durability</b>	IP65 and MIL-STD-810G certified
<b>Regulatory</b>	FCC Class B, CE, RoHS compliant
<b>Temperature</b>	Operation*: -20°C to 60°C (-4°F to 140°F), tested under MIL-STD-810G method 501.6, Procedure II, and method 502.6, Procedure II * For battery safety, optimal functionality and performance, the recommended usage temperature range is from -10°C to 45°C (14°F to 113°F) Storage: -55°C to 70°C (-67°F to 158°F)
<b>Humidity</b>	0% – 90% non-condensing

<b>Major Options</b>	
<b>Graphic Card</b>	Integrated graphic card, NVIDIA GeForce® GTX 1050 with 4GB VRAM
<b>Antenna</b>	Dual pass through antennas integrated in the docking cradle
<b>GNSS Module</b>	U-blox M8 GNSS module with concurrent reception of GPS and GLONASS, industry leading -167dBm navigation sensitivity *either with GNSS module or the graphic card
<b>Mobile Broadband</b>	4G LTE/AWS

\* Specifications subject to change without notice.

## Accessories

<b>Digital Pen</b>	
<b>Pen Tip</b>	Diameter: 0.059 in/ 1.5mm, replaceable
<b>Buttons</b>	2 side buttons (right-click and eraser)
<b>Battery</b>	1 AAAA, replaceable
<b>Color</b>	Black
<b>Dimensions</b>	Length: 5.5 in/ 140 mm (including pen tip) Diameter: 0.38 in/ 9.7 mm
<b>Weight</b>	0.055 lbs/ 25 g



<b>Docking Keyboard</b>	
With ports for Power, HDMI and USB; designed to connect to the d™ Tablet, instantly pairs, ideal for 2-in-1™ applications	



<b>Vehicle Mount Cradle</b>	
Supports T340T and the Detachable Keyboard. The Cradle offers a lockable mechanism as well as USB, LAN, COM ports, a DC-in jack, and dual antenna connectors	



- Battery Charging Kits
- 
- High Capacity Battery Pack

